

When attention is called to an irregularity — CALL THE DIRECTOR.

BD # PAIRS	DLR & VUL	BD # TEAMS	VS	CONTRACT & DECLARER	PLUS	MINUS	PTS EST.	PTS.	BD # PAIRS	DLR & VUL	BD # TEAMS	VS	CONTRACT & DECLARER	PLUS	MINUS	PTS EST.	PTS.
1	N NONE								17	N NONE							
2	E N-S								18	E N-S							
3	S E-W								19	S E-W							
4	W BOTH								20	W BOTH							
5	N N-S								21	N N-S							
6	E E-W								22	E E-W							
7	S BOTH								23	S BOTH							
8	W NONE								24	W NONE							
9	N E-W								25	N E-W							
10	E BOTH								26	E BOTH							
11	S NONE								27	S NONE							
12	W N-S								28	W N-S							
13	N BOTH								29	N BOTH							
14	E NONE								30	E NONE							
15	S N-S								31	S N-S							
16	W E-W								32	W E-W							
20-PT. VP SCALE				30-PT. VP SCALE					33	N NONE							
IMPs	VPs	IMPs	VPs	IMPs	VPs	IMPs	VPs		34	E N-S							
0	10-10	14-16	16-4	0	15-15	9-10	24-6										
1-2	11-9	17-19	17-3	1	18-12	11-13	25-5										
3-4	12-8	20-23	18-2	2	19-11	14-16	26-4		35	S E-W							
5-7	13-7	24-27	19-1	3	20-10	17-19	27-3										
8-10	14-6	28+	20-0	4	21-9	20-23	28-2		36	W BOTH							
11-13	15-5			5-6	22-8	24-27	29-1										
				7-8	23-7	28+	30-0										

Always Disclose, Never Abuse, Don't Intimidate, Practice Active Ethics

SS1B Rev. 9-23 • Printed in USA by Baron Barclay
Copyright © ACBL 2023 • All Rights Reserved



**BARON
BARCLAY**
BRIDGE SUPPLY
1-800-274-2221



INTERNATIONAL MATCHPOINT SCALE

Diff. in Pts.	IMPs	Diff. in Pts.	IMPs	Diff. in Pts.	IMPs	Diff. in Pts.	IMPs
20-40	1	270-310	7	750-890	13	2000-2240	19
50-80	2	320-360	8	900-1090	14	2250-2490	20
90-120	3	370-420	9	1100-1290	15	2500-2990	21
130-160	4	430-490	10	1300-1490	16	3000-3490	22
170-210	5	500-590	11	1500-1740	17	3500-3990	23
220-260	6	600-740	12	1750-1990	18	4000 and up	24